मानेभन्ज्याङ गाउँपालिका गाउँ कार्यपालिकाको कार्यालय



मानेभन्ज्याङ, ओखलढुंगा

स्था:२०७३

पत्र संख्या : ०७८/७९

चलानी नं. : 939

(१ नं. प्रदेश), नेपाल मिति :२०७९।०५।०६

विषयः क्याटलग सपिङ्ग विधिषाट एम्बुलेन्स खरिद सम्बन्धी सूचना ।

यस कार्यालयलाई आवश्यक पर्ने एम्बुलेन्स सार्वजिनक खिरद ऐन, २०६३ को दफा द उपदफा १ को खण्ड (क) (द) तथा सार्वजिनक खिरद नियमावली, २०६४ को नियम ३१ (ख) मा उल्लिखित (क्याटलग सिपङ्ग) विधिबाट खिरद गर्नुपर्ने भएकोले सार्वजिनक खिरद नियमावली २०६४, को नियम ३१ (ख) को उपनियम (२) बमोजिम उत्पादनको आधिकारिक स्पेशिफिकेशन, गुणस्तर, मूल्य र सुविधा सिहतको विवरण (क्याटलग वा ब्रोसर) संलग्न राखि सूचना प्रकाशित भएको मितिले १५(पन्ध) दिन् भित्र यस कार्यालयमा तपिसलमा उल्लिखित आवश्यक कागजात संलग्न राखि निवेदन दर्ता गर्नुहुन सम्बन्धित सबैमा जानकारिको लागि यो सूचना प्रकाशित गरिएको छ।

तपसिल

१.संस्था वा फर्म दर्ताको प्रमाणपत्र,

२.स्थायि लेखा नम्बर वा मूल्य अभिवृद्धि कर दर्ताको प्रमाणपत्र,

३.कर चुक्ता प्रमाणपत्र

४.व्यवसायिक इजाजतपत्र

नोटः प्राविधिक स्पेशिफिकेशन यसैसाथ संलग्न रहेको ब्यहोरा समेत अनुरोध छ ।

Technical Specification of Ambulance

	Criteria	Required Specification	Offered Specification
	General	Hard Top Jeep, 4WD, Right Hand Drive model suitable for driving in Nepal. Gross vehicle weight of the vehicle shall not less than 2400	6
		Kgs and shall have seating capacity for at least driver, co-passenger and patient.	*
	Engine,	Diesel Engine, developing maximum rated power output not less than 60 BHP &	9
	6 2	maximum torque not less than 110 NM at governed RPM, Engine Displacement not less than 2400CC	
	Wheel Base	Not more than 2800mm	
1,	Overall Length	Not more than 4500mm	
5.	Emission Standard	The Emission standard of the vehicle should comply with the latest "Vehicle Mass Emission Standard" of Nepal which is to be certified by Department of Transport Management Nepal.	
6.	Gauges	To include water temperature, fuel, oil pressure, transmission gauge etc. as necessary for efficient operation and maintenance.	
7.	Clutch	Single Dry Plate	
8.	Transmission	Manual shift at 5 forward and one reverse, floor mounted engaged through control at driver seat.	
9.	Ground Clearance	Minimum 165 mm	
10.	Suspension	Leaf Springs/ coil springs/ torsion bar/ shock absorbers at front and rear.	
11.	Tyres	Standard Size	
12.	Steering	Power Steering	
13.	Brakes	Front Ventilated Disc type, rear disc/ drum type, hydraulic operated on all wheels, and parking brake dual circuit preferred.	
14.	Cab	2 side doors and 1 back door, all metallic cab with insulated roof, laminated glass windscreen, front washer and wipers, glass windows on doors, through ventilation, comfortable and adjustable seats for driver and co-passenger. Sun visor, rear view mirror and two side view mirror.	d
15.**	Chassis & Frame	Heavy duty metal frame	
16.	Essential Accessories	1. Head light, tail and rear light, reversing light and turn signals.	

	,	 Cabin Lights. Speedometer/ Odometer. One Spare wheel with tyre and tube. Suitable jack and handle. Seat belt for driver and co-driver. Flashing Light on top (As per Nepal Standard)	
		8. Anti- Skid floor Equipped with all accessories offered in the standard model but not limited to the above items.	
17.	Emergency	1.Stethoscope	12
17.	Equipment	2.B. P. Set	
	3.57	3.Torch Light	
		4. Tongue Depressure	
		5. Drips	
		6.Cannula and Syringes	
		7.ECG Monitor and Oxygen Monitor	
		8.Intubation Set	
197		9. Various Intubation Tubes and Laryngeal Tubes	
		10.Nebulizer Set	
		11.Ambu Bag	
		12Manual Suction Set	
		13.Cervical Collars	
6		14.CPR Board	
		15. Oxygen Supply	
	*	16. Automated External Defibrillator (AED)	
		17. Delivery Sets	
		18.Dressing Sets	#0 DE
	*	19.Splints	
· ·	2	20.Catheterizations Sets	
**	3.8	21.Haemostatic Sets	
	*	A DE LOS	
		FR FIT all Ox	

-	Others	1. Washing Equipment		
	Canos	2.Foldable Trolly Cum Stretcher		
7		3.Saline Stand		
		4.Siren		
19.	Instructions	All signs and instructions in the vehicle shall be in English.		
20.	Manuals	One Copy of the Operator's and Owner		
	z;	English shall be supplied with the vehicle. A set of tools as required for general		
21.	Tools	maintenance shall be supplied.		
22.	Colour	left/right green & led in Datterns 8		
		board design The pick-up offered shall be of manufacture		
23.	Production	year 2022. Manufacturer shall provide a minimum of One Manufacturer shall provide a minimum of One		
24.	Warranty	year or 20,000 kms which ever		
25.	Delivery	The 1 Unit Ambulance shall be delivered to: Manebhanjyang Gaupalika, Manebhanjyang Okhardhunga.		



Name: Rajendra Kumar Dangol Designation : Mechanical Engineer

Office : Department of Plant Resources

Signature:

A 27.64. (2)

*Cost Estimate for Ambulance

S.N	REQUIREMENT	Amount(Include the VAT)	Remark
1	Diesel Engine, developing maximum rated power output not less than 60 BHP & maximum torque not less than 110 NM at governed RPM, Engine Displacement not less than 2400CC. Emergency Equipment: Delivery Set, Dressing Sets Splint ,Catheterizations Sets, Hemostatic Sets, Stethoscope, B. P. Set, Torch Light, Tongue ,Depressor, Drips, Cannula and Syringes, ECG Monitor and Oxygen Monitor, Intubation Set, Various Intubation Tubes and Laryngeal Tubes, Nebulizer Set, Ambu Bag, Manual Suction Set, Cervical Collars, CPR Board, Oxygen Supply, Automated External Defibrillator (AED)	22,00,000/-(In The Word Rs. Twenty Two Lakh Only	



Rajedra Kumar Dangol Mechanical Engineer Department of Plant Resource

230m (011)